

# **BLANK PAGE**



# Indian Standard

# CODE OF PRACTICE FOR MAINTENANCE AND CARE OF INDUSTRIAL SAFETY CLOTHING

UDC 687·157·004·54:614·895·5



@ Copyright 1979

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

# Indian Standard

# CODE OF PRACTICE FOR MAINTENANCE AND CARE OF INDUSTRIAL SAFETY CLOTHING

### Industrial Safety Advisory Committee, ISAC

Chairman

Representing

SHRT D. M. DHAR\*

Standing Committee on Safety for the Steel Industry, Durgapur

Members

SHRIP. R. SURENDRANATHAN

Directorate General, Factory Advice Service and Labour Institutes (Ministry of Labour), Bombay

SHRI K. C. SAKSENA ( Alternate ) SHRI BIMAL BANERTEE

SHRI BACHA PRASAD (Alternate)

SHRI U. C. BANERJEE SHRI M. N. ARORA ( Alternate )

SHRI SUSHIL BHATTACHARYA

SHRI PRATUL CHOWDHURY ( Alternate )

DR M. K. CHARRABORTY DR B. SINGH ( Alternate )

DR S. K. CHATTERJEE

DR A. K. BANERJEE ( Alternate ) CHIEF MECHANICAL ENGINEER,

NORTHERN RAILWAY, NEW DELHI SHRI B. K. DHAR

LT-COL D. K. GHOSE ( Alternate ) DIRECTOR (COMMERCIAL)

DEPUTY DIRECTOR ( COMMERCIAL ) ( Alternate )

SHRI K. H. GANDHI SHRI SATPAL SINGH ( Alternate )

SHRI S. K. JAGNANI SHRI B. D. JOSHI SHRI S. H. KAMAT SHRI KARAN SINGH

SHRI AJAY KAUL ( Alternate ) SHRI A. R. KESHAVA MURTHY SHRI H. D. KHANNA

SHRI P. N. MEHROTRA

Hind Mazdoor Sabha, Bombay

Indian Airlines Corporation, New Delhi

United Trades Union Congress, Calcutta

Central Mining Research Station (CSIR), Dhanbad

Directorate General of Health Services, New Delhi

Railway Board, New Delhi

Builders' Association of India, Calcutta

Central Electricity Authority, New Delhi

Ministry of Defence (DGI)

Indian Cotton Mills Federation, Bombay All India Trade Union Congress, Delhi

All India Manufacturers' Organization, Bombay Indian National Trade Union Congress, New Delhi

Ministry of Communications

Indian Jute Mills Association, Calcutta

Standing Fire Advisory Committee (Ministry of

Home Affairs), New Delhi

SHRI G. B. MENON ( Alternate )

Shri D. M. Dhar was Chairman for the meeting in which this standard was finalized.

( Continued on page 2 )

## © Copyright 1979

#### INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act. (Continued from page 1)

Members

Representing

SHRI I. N. MURTY SHRI CHARANJIT LAL ( Alternate )

SHRI S. NAMBI

DR N. M. PANT

SHRI V. K. MURTHY ( Alternate ) SHRI A. PEREIRA

SHRI HEATHCLIFF VAZ ( Alternate )

SHRIS. RAGHAVAN SHRI S. G. RANADE SHRI S. R. C. RAO REPRESENTATIVE

SHRI K. C. GANGULY ( Alternate ) REPRESENTATIVE

SHRI N. RAGHAVAN (Alternate) SHRI I. C. SARIN

DR K. M. SAXENA ( Alternate ) SHRI P. SESHADRI SHRI JAGIIT SINGH ( Alternate I )

SHRI P. C. EASAW ( Alternate II ) SHRI D. K. SIRKAR

TECHNICAL ADVISER (BOILERS) SHRI P. K. THAKUR

SHRI G. VISHWANATHAN ( Alternate ) SHRI S. VENKASWAMY DR G. M. SAXENA,

Director (Chem) (Secretary)

Chief Controllerate of Explosives, Nagpur

Hindustan Aeronautics Ltd, Bangalore

The Safety First Association of India, New Delh

Safety Appliances Manufacturers' Association. Bombay

Ministry of Shipping & Transport

Directorate General of Ordnance Factories, Calcutta Bhilai Ispat Ltd, Bhilai

Directorate General of Mines Safety, Dhanbad

National Safety Council, Bombay

Employees State Insurance Corporation, New Delhi

Ministry of Petroleum & Chemicals, New Delhi

Indian Manufacturers' Chemical Association.

Calcutta Central Boilers Board, New Delhi Indian Roads Congress, New Delhi

Directorate General of Civil Aviation, New Delhi Director General, ISI (Ex-officio Member)

Safety Equipment Subcommittee, ISAC/S-2

Convener

SHRI D. M. DHAR

Hindustan Steel Ltd, Durgapur

Members

SHRI J. J. ADHIA

SHRI M. V. RAO ( Alternate ) SHRI K. BARDHAN SHRI J. P. AGARWAL ( Alternate ) SHRI K. N. BHATTACHARYA

SHRI N. K. SARAN ( Alternate ) SHRI N. C. BRAHMA

SHRI A. DAS GUPTA SHRI B. DAS GUPTA ( Alternate )

DR A. K. GHOSH SHRI P. R. ROY ( Alternate )

SHRI P. P. JAIN SHRI A. P. AGARWALA ( Alternate )

Century Spinning and Manufacturing Co Ltd. Bombay

Ministry of Defence (DGI)

The Safety First Association of India (Bihar Branch), Jamshedpur

Chemical Manufacturers' Indian Association.

Calcutta Adigee Industries, Calcutta

Central Mining Research Station (CSIR), Dhanbad

Mines Service Corporation, Asansol

(Continued on page 7)

# Indian Standard

# CODE OF PRACTICE FOR MAINTENANCE AND CARE OF INDUSTRIAL SAFETY CLOTHING

## O. FOREWORD

- 0.1 This Indian Standard was adopted by the Indian Standards Institution on 1 December 1978, after the draft finalized by the Industrial Safety Advisory Committee had been approved by the Executive Committee.
- **0.2** This standard is intended for use in industries by safety officers, purchasing agents, plant managers, foremen and other supervisors charged with the responsibility of proper selection, maintenance, use and repair of personal protective safety clothing.
- **0.3** Specifications and materials in safety clothing like aprons, hand gloves, etc, vary considerably; therefore it is very important that advice of the manufacturer be taken and instructions followed for the use and care of such clothing.
- 0.3.1 In this standard reference to cleaning and repair of safety clothings appears in many clauses. It is important that after any repair or cleaning, the clothing shall be tested for serviceability before being put into service.
- **0.4** When safety clothing are repaired, it is necessary that the base material as well as accessories used are of the same quality and characteristics as used in the fabrication of the original clothing.
- 0.5 In the preparation of this standard, assistance has been derived from the Safety Practices Pamphlet No. 106 'Conservation of personal protective equipment', published by National Safety Council, Chicago, which is gratefully acknowledged.

#### 1. SCOPE

1.1 This standard lays down recommended practices in maintenance and care of industrial safety clothing.

#### 2. LEATHER CLOTHING

2.1 Keep water, oils and acids away from leather goods as much as possible.

### IS: 8990 - 1978

- 2.2 Wash the leather goods with saddle soap and dry in shade because it is not practicable to sterilize leather clothing.
- 2.3 If the wearer is not exposed to splashes of molten metal, the clothing may be repaired by patching with pieces of leather or by sewing the tear.

#### 3. ASBESTOS CLOTHING

- 3.1 Wash asbestos gloves in warm soap water.
- 3.2 Asbestos suits shall be dry-cleaned to avoid excessive shrinkage.
- 3.3 Store the clothing so that asbestos fibres are not torn or crushed in handling.
- 3.4 Remove splashes of molten metal by cutting underneath with a sharp knife so as to damage the asbestos fibres as little as possible.
- 3.5 Garments may be patched or sewn as and when necessary.

#### 4. FLAME-PROOFED FABRICS

- 4.1 Flame-proofed garments are usually made from cotton impregnated with flame resistant chemical solutions. The recommendations of the manufacturer shall be followed if the original flame resistant qualities of the garments are to be retained.
- 4.2 As and when necessary, cleaning of garments shall be done if paints, oils or grease of flammable nature get on the garment.
- 4.3 After dry-cleaning, garments shall be tested for serviceability in respect of flame resistant properties.
- 4.4 If repaired or cleaned clothings require chemical treatment to restore serviceability, such treatment work shall be done as recommended by the manufacturer, or as given in Appendix A.

## 5. CHEMICAL RESISTANT CLOTHING

- 5.1 For protection against acids, caustics, solvents and similar materials fabrics impregnated or coated with plastics are used for garments.
- 5.2 Consult the manufacturer on the care and cleaning precautions necessary for these special garments, and follow his recommendations.
- 5.3 Protect these garments from excessive heat and mechanical damage.
- 5.4 When harmful material gets on the garments, wash it off carefully.
- 5.5 Use warm soapy water for cleaning.
- 5.6 Never use compounds that may affect the impregnated or coated material.

5.7 Clean the garment thoroughly before storing and avoid unnecessary folding or creasing in storage.

#### 6. RUBBER CLOTHING

- 6.1 Keep oil, grease and solvents away from rubber gloves, rubber boots, aprons, acid hoods and linemen's equipment.
- 6.2 Protect rubber equipment from excessive heat and mechanical damage.
- 6.3 When not in use, avoid exposing to direct sunlight.
- 6.4 Store and use such equipment so that it does not get cut, torn, scratched or worn by abrasive action. Avoid crushing or creasing it.
- 6.5 Wash and dry thoroughly before storing it; warm air drying should be used when possible.
- 6.6 Use talc powder for inside of the gloves to avoid sticking to the hands.
- 6.7 Avoid undue stretching when in use.
- **6.8** Be sure rubber equipment used in electrical work is thoroughly inspected and given approval tests before it is used.
- 6.9 Where the job permits, for protection of rubber gloves or aprons wear heavy work gloves or aprons over them.

## APPENDIX A

( Clause 4.4 )

# PROCEDURE FOR FLAME-PROOFING TREATMENT OF CLOTHING

### A-1. PREPARATION OF PROOFING SOLUTION

- A-1.1 Heat 10 litres of water in a tank to about 75°C. Remove sufficient quantity of hot water in a separate receptacle, add 3.8 kg of boric acid to it, stir well and pour it into rest of the hot water. Then add to the mixture 6.7 kg of borax and 1.8 kg of monoammonium phosphate, and agitate well to ensure that all the salts have dissolved. Keep the temperature of the solution at 60-65°C.
- A-1.2 The prepared quantity will be normally sufficient for flame-proofing 40 to 50 clothing suits at a time.

#### **18:8990-1978**

#### A-2. PROCEDURE

- A-2.1 Wash the clothing with soap and agitate with steam in a washing machine for 2 hours. Wash with water and remove as much water as possible.
- A-2.2 Then soak the clothing in the proofing solution. Keep the clothing well immersed in the solution. Soak for 20 minutes, then shift them to the drain board.
- A-2.3 Remove the clothing from the drain board to a centrifuge. Start the centrifuge (speed  $1\,000\,\text{rev/min}$ ) and switch it off within  $45\pm5\,\text{seconds}$ . Remove the garments from the centrifuge and dry in the sun for 4 to 6 hours or in a drying machine, or in a room till dry. Iron the clothes if desired.
- A-2.3.1 The time of wringing the clothes is of extreme importance as excessive solution retained in the clothing has a deleterious action on the cloth and too little of it affects the proofing quality.
- A-2.3.2 The time of wringing has to be suitably changed if the capacity and speed of the centrifuge are different from that specified (1 000 rev/min).
- A-2.3.3 The spent solution can be used again after regeneration to the specified composition.

#### (Continued from page 2)

#### Members

#### Representing

SHRI S. S. MAZUMDAR Indian Oxygen Ltd, Calcutta SHRI K. C. KARMARKAR ( Alternate)

SHRI I. N. MURTY Chief Controllerate of Explosives, Nagpur

SHRI CHARANJIT LAL ( Alternate )
DR M. PANCHOLY

Shri C. Pereira

SMT C. LESLIE ROY (Alternate)

SHRI S. G. RANADE

REPRESENTATIVE
SHRI N. RAGHAVAN ( Alternate )
SHRI GAUTAM V. SHAH

SHRI J. V. SHAH (Alternate)

SHRI S. D. SHROFF SHRI LAL SAJNANI ( Alternate )

SHRI D. K. SIRKAR SHRI A. C. SRIVASTAVA

SHRI R. L. ARORA (Alternate)
SHRI P. R. SURENDRANATHAN

Chief Controllerate of Explosives, Nagpur

National Physical Laboratory (CSIR), New Delhi Joseph Leslie & Co, Bombay

Directorate General of Ordnance Factories, Calcutta National Safety Council, Bombay

Safety Equipment Corporation, Bombay

Pradeep Safety Pvt Ltd, Bombay

Synthetics and Chemicals Ltd, Bareilly Directorate General of Mines Safety, Dhanbad

Directorate General, Factory Advice Service and Labour Institutes (Ministry of Labour), Bombay

SHRI K. C. GUPTA (Alternate)
SHRI FRANCIS LESLIE VAZ F
SHRI HEATHCLIFF VAZ (Alternate)

Francis Leslie & Co, Bombay

#### INDIAN STANDARDS

#### ON

#### INDUSTRIAL SAFETY PERSONAL PROTECTIVE EQUIPMENT

IS:	
583-1969	Ankle boots for general purposes (first revision)
1179-1967	Equipment for eye and face protection during welding (first revision)
1910-1961	Self-contained breathing apparatus for fire brigade use
1 <b>98</b> 9-1973	Safety boots and shoes for mines and heavy metal industries (second revision)
2472-1969	Protective gaiters
2553-1971	Safety glass (second revision)
<b>2573-1</b> 975	Leather gauntlets and mittens (first revision)
2745-1969	Firemen's helmets (first revision)
<b>2925-197</b> 5	Industrial safety helmets (first revision)
3322-1965	PVC-coated fabrics for foul weather clothing
3521-1965	Linemen's leather safety belt and strap
3738-1975	Rubber knee boots (first revision)
3976-1975	Safety rubber-canvas boots for miners (first revision)
4128-1967	Fireman's leather boots
4501-1967	Aprons, rubberized, acid and alkali resistant
4770-1968	Rubber gloves for electrical purposes
<b>55</b> 57-1969	Industrial and safety rubber knee boots
5852-1977	Protective steel toe caps for footwear (first revision)
5983-1971	Protective filters for welding, cutting, and similar operations
6153-1971	Protective leather clothing
6407-1971	Rubber aprons for hospital use
6519-1971	Code of practice for selection, care and repair of safety footwear
6994 ( Part	I)-1973 Industrial safety gloves: Part I Leather and cotton gloves
7352-1974	X-ray lead-rubber protective aprons
7524 ( Part	I )-1975 Methods of test for eye protectors: Part I Routine tests
7524 ( Part	II )-1977 Methods of test for eye protectors: Part II Special tests
7612-1974	Functional requirements for flame resistant and heat resistant suits

8519-1977 Guide for selection of industrial safety equipment for body protection 8520-1977 Guide for selection of industrial safety equipment for eye, face and ear

8807-1978 Guide for selection of industrial safety equipment for protection of arms and

8940-1978 Code of practice for maintenance and care of industrial safety equipment for

8990-1978 Code of practice for maintenance and care of industrial safety clothing

8521 (Part I)-1977 Industrial safety faceshields: Part I With plastics visor

7692-1975 Wooden headform for testing of helmets

protection

hands

8522-1977 Respirators, chemical cartridge 8523-1977 Respirators, canister type (gas masks)

eye and face protection